

SAFETY DATA SHEET


Conforms to OSHA HazCom 2012 Standard

Section 1 - Identification

Product Identifier CRYSTAL CLEAN 5 in 1 Carpet Cleanr
Recommended use Detergent.
Recommended restrictions For commercial and industrial use only.
Manufacturer / Importer / Supplier / Distributor Information
Company Name Myers Supply, Inc.
Address 900 Arch St., Little Rock, AR 72202
Telephone 501-372-6677
Supplier Email info@myerssupply.com
Contact
Emergency Phone 800-255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

| | Classification | Category |
|--|--|-----------------|
| Physical Hazards | Not Classified | |
| Health Hazards | Serious eye damage/eye irritation | 2A |
| OSHA defined hazards | Not Classified. | |
| Label Elements | | |
| Hazard Symbol |  | |
| Signal Word | Warning | |
| Hazard statement | Causes serious eye irritation. | |
| Precautionary statement | | |
| Prevention | Wash thoroughly after handling. Wear eye/face protection. | |
| Response | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| Storage | Store away from incompatible materials. | |
| Disposal | Dispose of waste and residues in accordance with local authority requirements. | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components

| Ingredient Name | CAS # | % |
|-------------------------------|----------|--------|
| 2-Butoxyethanol | 111-76-2 | 5 - 10 |
| Sodium dioctyl sulfosuccinate | 577-11-7 | 1 - 5 |

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.
Skin contact Wash with soap and water. Get medical attention if irritation persists.
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
Ingestion Rinse mouth. Get medical attention if irritation persists.
Most important symptoms /effects, acute and delayed Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General Information Ensure that medical personnel are aware of the material(s) involved, and take

SAFETY DATA SHEET

Conforms to OSHA HazCom 2012 Standard

precautions to protect themselves.

Section 5 - Fire-fighting measures

| | |
|---|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment /instruction | Move containers from fire area if you can do it without risk. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Specific Methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

Section 6 - Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures. | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

Section 7 - Handling and storage

| | |
|--|---|
| Precautions for safe handling | Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|--------------------------------|------|--------------------------------|
| 2-Butoxyethanol (CAS 111-76-2) | TWA | 240 mg/m ³ , 50 ppm |

US. ACGIH Threshold Limit Values

| Component | Type | Value |
|--------------------------------|------|--------|
| 2-Butoxyethanol (CAS 111-76-2) | TWA | 20 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|--------------------------------|------|------------------------------|
| 2-Butoxyethanol (CAS 111-76-2) | TWA | 24 mg/m ³ , 5 ppm |

US. ACGIH. BEIs. Biological Exposure Indices

| Component | Value | Determinate | Specimen | Sampling |
|--------------------------------|----------|--|---------------------|----------|
| 2-Butoxyethanol (CAS 111-76-2) | 200 mg/g | Butoxyacetic acid (BAA), with hydrolysis | Creatinine in urine | * |

* - For sampling details, please see the source document.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

| Components | Exposure |
|--------------------------------|-----------------------------------|
| 2-Butoxyethanol (CAS 111-76-2) | Can be absorbed through the skin. |

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

SAFETY DATA SHEET

Conforms to OSHA HazCom 2012 Standard

| | |
|--------------------------------|---------------------------|
| Components | Exposure |
| 2-Butoxyethanol (CAS 111-76-2) | Skin designation applies. |

US.NIOSH: Pocket Guide to Chemical Hazards

| | |
|--------------------------------|-----------------------------------|
| Component | Exposure |
| 2-Butoxyethanol (CAS 111-76-2) | Can be absorbed through the skin. |

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

| | |
|--------------------------------|-----------------------------------|
| Components | Exposure |
| 2-Butoxyethanol (CAS 111-76-2) | Can be absorbed through the skin. |

US.OSHA Table Z-1-A (29 CFR 1910.100)

| | |
|--------------------------------|-----------------------------------|
| Components | Exposure |
| 2-Butoxyethanol (CAS 111-76-2) | Can be absorbed through the skin. |

US.Tennessee. OELs Occupational Exposure Limits, Table Z1A

| | |
|--------------------------------|-----------------------------------|
| Components | Exposure |
| 2-Butoxyethanol (CAS 111-76-2) | Can be absorbed through the skin. |

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

| | |
|---|---------------------------|
| Appearance | |
| Physical state | Liquid. |
| Form | Clear-Translucent liquid. |
| Color | Straw. |
| Odor | Universal Fresh. |
| Odor threshold | Not available. |
| pH | 9.2 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | None to boiling. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Similar to water. |
| Vapor density | Similar to water. |
| Relative density | 1.01 ± 0.01 |
| Relative density temperature | 75 °F (23.89 °C) |
| Solubilities | Completely soluble. |
| Partition Coefficient n-octanol/water | Not available |

SAFETY DATA SHEET

Conforms to OSHA HazCom 2012 Standard

| | |
|---------------------------|------------------|
| Auto-ignition temperature | Not Available |
| Decomposition temperature | Not Available |
| Viscosity | < 10 cSt |
| Viscosity Temperature | 75 °F (23.89 °C) |

Section 10 - Stability and reactivity

| | |
|-----------------------------------|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reaction | No dangerous reaction known under conditions of normal use. |
| Conditions to Avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous Decomposition Products | No hazardous decomposition products are known. |

Section 11 - Toxicological information

Information on likely routes of exposure

| | |
|--------------|--|
| Ingestion | Expected to be a low ingestion hazard. |
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Causes serious eye irritation. |

Symptoms related to the physical, chemical and toxicological characteristics
Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects.

Acute toxicity Not expected to be acutely toxic.

| Components | Level | Type | Code | Species | Results |
|--------------------------------|-------|------------|------|------------|------------------|
| 2-Butoxyethanol (CAS 111-76-2) | Acute | Dermal | LD50 | Rabbit | 400 mg/kg |
| | Acute | Inhalation | LC50 | Mouse | 700 ppm, 7 hours |
| | Acute | Inhalation | LC50 | Rat | 450 mg/l, 4 hrs |
| | Acute | Oral | LD50 | Guinea pig | 1.2 g/kg |
| | Acute | Oral | LD50 | Mouse | 1519 mg/kg |
| | Acute | Oral | LD50 | Rabbit | 0.32 g/kg |
| | Acute | Oral | LD50 | Rat | 560 mg/kg |

| | |
|---|--|
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. |
| Serious eye damage/ eye irritation | Causes serious eye irritation. |
| Respiratory sensitization | This product is not expected to cause respiratory sensitization. |
| Skin sensitization | This product is not expected to cause skin sensitization. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |

IARC Monographs. Overall Evaluation of Carcinogenicity

| Component | Result | Comment |
|--------------------------------|--------|---|
| 2-Butoxyethanol (CAS 111-76-2) | 3 | Not classifiable as to carcinogenicity to humans. |

| | |
|---|--|
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |
| Chronic effects | Prolonged inhalation may be harmful. |

Section 12 - Ecological Information

| | |
|-------------|--|
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
|-------------|--|

SAFETY DATA SHEET

Conforms to OSHA HazCom 2012 Standard

| | | |
|--|---|---------|
| Persistence and degradability | No data is available on the degradability of this product. | |
| Bioaccumulative potential | No data available. | |
| Partition coefficient n-octanol / water log (Kow) | | |
| Components | | Results |
| 2-Butoxyethanol (CAS 111-76-2) | | 0.83 |
| Mobility in soil | No data available. | |
| Mobility in general | No data available. | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

Section 13 - Disposal considerations

| | |
|--|---|
| Disposal instructions | Dispose in accordance with applicable federal, state, and local regulations. |
| Local disposal regulations | Dispose of in accordance with local regulations. |
| Hazardous waste code | Waste codes should be assigned by the user based on the application for which the product was used. |
| Waste from residues / unused products | Dispose in accordance with all applicable regulations. |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

Section 14 - Transport information

| | |
|--|---|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |
| Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code | This substance/mixture is not intended to be transported in bulk. |

Section 15 - Regulatory Information

| | | |
|---|---|--------|
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. | |
| TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) | Not regulated. | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-CERCLA Hazardous Substance List (40 CFR 302.4 | Components | Result |
| | 2-Butoxyethanol (CAS 111-76-2) | LISTED |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | | | |
|---|-------------------|----------|----------|
| Hazard Categories | Immediate Hazard | Yes | |
| | Delayed Hazard | No | |
| | Fire Hazard | No | |
| | Pressure Hazard | No | |
| | Reactivity Hazard | No | |
| SARA 302 Extremely hazardous substance | Not listed. | | |
| SARA 311/312 Hazardous chemical | Yes | | |
| SARA 313 (TRI reporting) | | | |
| | Chemical name | CAS # | % by wt. |
| | 2-Butoxyethanol | 111-76-2 | 5 - 10 |
| Other federal regulations | | | |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants | Not regulated. | | |

SAFETY DATA SHEET

Conforms to OSHA HazCom 2012 Standard

| | |
|--|--|
| Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) | Not regulated. |
| Safe Drinking Water Act (SDWA) | Not regulated. |
| Food and Drug Administration (FDA) | Not regulated. |
| US state regulations | |
| US.Massachusetts RTK - Substance List | Components 2-Butoxyethanol (CAS 111-76-2) |
| US.New Jersey Worker and Community Right-to-Know Act | Components 2-Butoxyethanol (CAS 111-76-2) |
| US.Pennsylvania RTK - Hazardous Substances | Components 2-Butoxyethanol (CAS 111-76-2) |
| US.Rhode Island RTK | Components 2-Butoxyethanol (CAS 111-76-2) |
| US - California Proposition 65 | California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. |

International Inventories

| Country(s) or region | Inventory Name | On Inventory (yes/no)* |
|------------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances | Yes |
| Unites States Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

| | |
|------------|--|
| Issue date | 5/4/2015 |
| Version # | 01 |
| Disclaimer | The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance. |