


SAFETY DATA SHEET

Section 1 - Identification

Product Identifier	ENDURA™ Ultra Premium Water-Based Urethane Wood Finish
Other means of identification	1600
Recommended use	Wood floor finish.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplier / Distributor Information	
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Reproductive toxicity (the unborn child)	1B
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol		
Signal Word	Warning	
Hazard Statement	Suspected of damaging fertility or the unborn child.	
Precautionary statement		
Prevention	Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	Wash thoroughly after handling. If exposed or concerned: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	1-ethyl-2-Pyrrolidinone	2687-91-4	1 - 5
	Dipropylene Glycol Monomethyl Ether	34590-94-8	1 - 5
	n-Methyl Pyrrolidone	872-50-4	1 - 5

Section 4 - First-aid Measures

Inhalation	Move to fresh air. Get medical attention if irritation persists.
Skin contact	Wash off with soap and water. Get medical attention if irritation persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
Ingestion	Rinse mouth. Get medical attention if irritation persists.
Most Important symptoms /effects, acute and delayed	May cause eye irritation on direct contact.
Indication of immediate medical attention and special treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General Information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET

Section 5 - Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Specific Methods	Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Pregnant or breast-feeding women must not handle this product.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component	Type	Value
n-Methyl Pyrrolidone (CAS 872-50-4)	TWA	40 mg/m ³ , 10 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	600 mg/m ³ , 100ppm

US. ACGIH Threshold Limit Values

Component	Type	Value
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	150 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	600 mg/m ³ , 100 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	900 mg/m ³ , 150 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
n-Methyl Pyrrolidone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US.NIOSH: Pocket Guide to Chemical Hazards

Component	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US.Tennessee. OELs Occupational Exposure Limkits, Table Z1A

Components	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US.ACGIH Threshold Limit Values. Skin destination

SAFETY DATA SHEET

US ACGIH Threshold Limit Values: Skin designation

Component	Exposure
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.

US.WEEL Guides: Skin designation

Components	Exposure
n-Methyl Pyrrolidone (CAS 872-50-4)	Can be absorbed through the skin.

Appropriate engineering controls Minimize the risk of inhalation of vapors and mists. Provide adequate ventilation or exhaust to maintain air concentrations below recommended exposure limits. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses. If splash potential exists, wear full face shield or chemical goggles.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge if the recommended exposure limit is exceeded.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Thin, opaque liquid.
Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Mild. Characteristic.
Odor threshold	Not available.
pH	7.8
Melting point/freezing point	Not relevant.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	None to boiling.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.04 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Soluble
Partition Coefficient n-octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	<20 cSt
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.

SAFETY DATA SHEET

Eye contact	Direct contact with eyes may cause temporary irritation.					
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.					
Information on toxicological effects.						
Acute toxicity	Not expected to be acutely toxic.					
Components	Level	Type	Code	Species	Results	
n-Methyl Pyrrolidone (CAS 872-50-4)	Acute	Dermal	LD50	Rabbit	8000 mg/kg	
	Acute	Oral	LD50	Rat	3914 mg/kg	
	Acute	Inhalation	LDLO	Rat	>5100 ppm, 4 h	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.					
Serious eye damage/ eye irritation	Direct contact with eyes may cause temporary irritation.					
Respiratory sensitization	This product is not expected to cause respiratory sensitization.					
Skin sensitization	This product is not expected to cause skin sensitization.					
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.					
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.					
Reproductive toxicity	Suspected of damaging fertility or the unborn child.					
Specific target organ toxicity - single exposure	Not classified.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not available.					

Section 12 - Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.					
Persistence and degradability	The product is expected to be biodegradable.					
Bioaccumulative potential	Not known.					
Partition coefficient n-octanol / water log (Kow)						
Components						Results
n-Methyl Pyrrolidone (CAS 872-50-4)						-0.54
Mobility in soil	No data available.					
Mobility in general	The product is water soluble and may spread in water systems.					
Other adverse effects	None known.					

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.					
Local disposal regulations	Dispose of in accordance with local regulations.					
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.					
Waste from residues / unused products	Dispose in accordance with all applicable regulations.					
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.					

Section 14 - Transport information

DOT	Not regulated as dangerous goods.					
IATA	Not regulated as dangerous goods.					
IMDG	Not regulated as dangerous goods.					
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.					

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.					
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)						Not regulated.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)						Not listed.
CERCLA Hazardous Substance List (40 CFR 302.4)						Not listed.
Superfund Amendments and Reauthorization Act of 1986 (SARA)						
Hazard Categories	Immediate Hazard	No				
	Delayed Hazard	Yes				
	Fire Hazard	No				

SAFETY DATA SHEET

Pressure Hazard No
 Reactivity Hazard No
 SARA 302 Extremely hazardous substance Not listed.
 SARA 311/312 Hazardous chemical Yes
 SARA 313 (TRI reporting) Not regulated.

Chemical name	CAS #	% by wt.
n-Methyl Pyrrolidone	872-50-4	1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not regulated.
 Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.
 Safe Drinking Water Act (SDWA) Not regulated.
 Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components
 n-Methyl Pyrrolidone (CAS 872-50-4)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.New Jersey Worker and Community Right-to-Know Act Components
 n-Methyl Pyrrolidone (CAS 872-50-4)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Pennsylvania RTK - Hazardous Substances Components
 n-Methyl Pyrrolidone (CAS 872-50-4)
 Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Rhode Island RTK Components
 n-Methyl Pyrrolidone (CAS 872-50-4)

US - California Proposition 65 WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens Reproductive Toxicity (CRT): Listed n-Methyl Pyrrolidone (CAS 872-50-4)

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 3/12/2015
 Version # 01

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.