

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 2460
IDENTITY: GONE

Revision Date: 03/26/2010

Section I

Manufacturer's Name: QUESTVAPCO CORPORATION
Address: P.O. BOX 624
BRENHAM
State: TX Zip Code: 77834

Telephone Numbers:
Emergency:
800/255-3924
Information:
713/896-8188

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT:A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%	
2-BUTOXY ETHANOL	*	111-76-2	50 PPM	20 PPM	N/A	---
ISOPROPYL ALCOHOL		67-63-0	400 PPM	200 PPM	N/A	---
PROPANE/N-BUTANE		68476-86-8	N/A	1000ppm	N/A	---
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: >212 F Specific Gravity (water=1) 0.99
Vapor Pressure(mm Hg) 17.5 Melting Point: N/A
Vapor Density(AIR=1) 1 Evaporation Rate: <0.3
Solubility in Water: 100% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, FRUITY BUTYL ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS WHEN INDICATED

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 2460

Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 F
Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS AND STRONG
ACIDS.
Hazardous Decomposition or Byproducts: OXIDES OF CARBON, ALDEHYDES, KETONES

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INHALATION: EXPOSURE TO EXCESSIVE FUMES MAY CAUSE DIZZINESS, NAUSEA, HEAD-
ACHE. EYES: MODERATE TO SEVERE IRRITATION. SKIN: MAY CAUSE IRRITATION AND
LOCALIZED DEFATTING. INGESTION: MAY CAUSE NAUSEA OR VOMITING.
Carcinogenicity:
NTP: NO IARC Monographs: NO OSHA Reg: NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: PRE-EXISTING CONDITION
OF DERMATITIS, LIVER, KIDNEYS, BLOOD-FORMING ORGANS, RESPIRATORY SYSTEM.

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUCE VOMITING - SEE PHYSICIAN. SKIN: WASH WITH SOAP & WATER
IF IRRITATION PERSISTS, SEE PHYSICIAN. EYES: RINSE THOROUGHLY WITH WATER
FOR 15 MINUTES - IF IRRITATION PERSISTS - SEE PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH
RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL GUIDELINES. WRAP CONTAINER AND PLACE IN TRASH COLLECTION

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM CHILDREN
STORE IN A COOL DRY AREA. KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME.
CONTENTS UNDER PRESSURE.
Other Precautions: EXPOSURE TO TEMPERATURES >120F MAY CAUSE BURSTING.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE WITH ADEQUATE VENTILATION.
Ventilation:
Local Exhaust: ADEQUATE
Mechanical: N/A
Special: N/A
Other: N/A
Protective Gloves: N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE